SECUPRO MEGASAFE EXTREMELY TOUGH. EXTREMELY STRONG.





ENJOY SAFETY MADE IN SOLINGEN



Original size



Robust handle The body of our top quality SECUPRO MEGASAFE is 100% aluminium. And ultimately, 100% robust. You can master all manner of standard cutting materials with this cutter. Even multi-layered ones.



Change without opening Blade change is easy and safe. Simply push down on the back end of the rocker device located on the topside of the cutter, and push the slider completely forward. The blade is ready for changing.



Perfect handling The lightly rounded handle fits particularly well in your hand. Your thumb doesn't get a raw deal either: soft grip on the the slider makes for a pleasant, slip-resistant resting pad.



Double-sided slider With the right hand? With the left hand? No need to ask this question! The SECUPRO MEGASAFE is fitted with a slider that's accessible from both sides. Choose for yourself!




Double-edged blade Before you need to change the quality blade, you have the chance to turn it over once. Usage time of the blade is doubled and fatigue is held at bay: with a simple flip of the blade, your SECUPRO MEGASAFE will cut like new.

Quality that's visible. With rounded-tip trapezoid blade.

Would you like to have a safety knife with a large blade extension? Or are you looking for a cutting tool that can cope with the toughest of tasks? In both cases, the SECUPRO MEGASAFE is an excellent choice. Thanks to a cutting depth of up to 17 mm, this knife doesn't shy away from a challenge. And no matter your task, safety is always guaranteed; the fully automatic blade retraction functions even when you decide not to extend the blade. Rounded blade tips round off the package.

PRODUCT FEATURES



Safety technology



Fully automatic blade retraction – a very high degree of safety The fully automatic blade retraction of the SECUPRO MEGASAFE guarantees a very high degree of safety from cut injuries. The blade withdraws into the handle immediately after leaving the material being cut. Even if the slider is still being activated.

Technical features Very high safety Tool-less blade change Very abrasion Ergonomic resistant 2-cutting edge Cutting depth blade Rounded-tip Ceramic blade trapezoid blade insertable For right and left Soft grip (₁₁₎) راليرال handers Main cutting materials Cardboard: up to Plastic strapping 3-ply band Bagged goods Slabbing material off a roll Wrapping, stretch, Tape and shrink foil Installed blade NO. 60099 0.63 mm, rounded blade 00 tips, deep-edged **Optional blade NO. 60099C** 0.65 mm, ceramic, rounded blade tips, deep-edged NO. 99 0.63 mm, deep-edged 0.63 mm, deep-edged, stain-NO. 199 less NO. 98 0.63 mm

Certificates and awards



YOU CAN FEEL THE QUALITY.

SECUPRO MEGASAFE

- > High-quality aluminium handle
- > Fully automatic blade retraction
- › Notable cutting depth (cuts up to 3-ply cartons)
- › Very easy blade change
- > GS-certified for approved safety

PRODUCT DETAILS

Order No.	NO. 116006.02		
Packaging unit	-	1 in single unit box (10 in multipack)	
Knife size (L x W x H)	153 x 2	153 x 26 x 38 mm	
Main material	Aluminium		
Weight	142.0 g		
Cutting depth	17 mm		
Spare blade Packaging unit Size (L x W x Thickness)	NO. 60099.70 (10 in dispenser) 55.5 x 19 x 0.63 mm		
Certified	GS certificate NO. S 60112078		
Accessories			
BELT HOLSTER M WITH CLIP		NO. 9921	
USED BLADE CONTAINER	Ō	NO. 9810	
WALL MOUNT BRACKET USED BLADE CONTAINER		NO. 9845	
SAFEBOX	0	NO. 108000	

CONTACT AND SERVICE

What makes our cutting solutions even safer? Our advisory services! We are always on hand, to give advice, to provide you with training material, to meet with you in person if necessary.

You will find further information on our website: www.martor.com



At a glance: the safety poster shows the most important functions and correct usage – perfect for your workplace.

From the first cut to changing the blade, our video will show you the best way to use this knife.



 \triangleright

Everything you want to know: dimensions, properties, special features and more about our cutting tools can be found in the technical data sheet.

 $^{\circ}$

Still have questions? You can reach our service department on +49 212 73870-0